LGD
(Agriculture)
F.No. 22-10
S.No. 1-4

Subj:- Appointment of an engine driver in connection with the Engine attached to the gas plant of the Agrl. Chemist's office and the transfer of the plant to be left in charge of the Ex-Engineer Water Supply and Store Division

*Previous references.*

1980
(Agriculture

File No. 72-10

Serial Nos. 1 to 4

*Later references.*

# GENERAL AND REVENUE SECRETARIAT.

*Serial Nos.* 1 to 4

**Part B. for** March 1911.

SUBJECT.

Appointment of an Engine driver in Connection with the Engine attached to the Govt Plant of the Agrl Chemist's office and the transfer of the Plant to be left in Charge of the Ex. Engineer Water Supply and Stores Division.

From the officer in Charge of Agrl. Chemist's Office. No 485 dy 1.12.10.

Solicits sanction to the appointment of an Engine driver whom he has already entertained in anticipation of Govt sanction on a salary of Rs 25 a month and also to the transfer of the Govt Plant to the Ex. Engineer, Water Supply and Stores Div.

2. Do. The Secy to Govt of Bombay Revenue Dept

G. R. S. 58 No Q 4183 dy 10. 1. 11.

Calls for Report in connection as noted in the last page

P.T.O.

3. From the mycologist & Entomologist
no 610 of 11.1.11.

States that the proposed appointment of an Engine driver is necessary in addition to the two fore-men already employed on account of increase of work due to the installation of the gas Engine and additional gas-holder.

4. To the officer in Charge of the Agricultural Chemists office & Comptroller.
no R 5033-4 of 3.3.11.

Sanctions the appointment of an Engine driver on Rs 25/- per mensem with effect from the 1st November 1910.

G.R.S. 11] 1910.

GENERAL AND REVENUE SECRETARIAT

( Agri. )

NOTES.

Agri File No. 72-10

FILE HEADING.

Appointment of an Engine driver in connection with the Engine attached to the Gas Plant of the Agrl Chemists' Office and the transfer of the Plant to be left in charge of the Executive Engineer Water Supply & Stores Division.

From

The Officer in Charge of the Agrl Chemists' Office.

No. 483 Dated 1. 12. 10 Received 3. 12. 10.

Diary No. 3011 | Enclos. — | Spare Copies | Serial No. 1.

BRIEF ABSTRACT OF LETTER.

Solicits sanction to the appointment of an Engine Driver whom he has already entertained in anticipation of Govt sanction on a salary of Rs 25 a month and also to the transfer of the Gas Plant to the Executive Engineer, Water Supply & Stores Division.

NOTES AND ORDERS.

The gas Plant in the Agrl Chemist's Office has been expanded by the addition of a gas holder & an Engine. The addition is stated to have been made by the P. W. D. It appears that Dr. Coleman then proposed to the Chief Engineer that the supervision over

Notes—First sheet.

GPB—15,000—24-4-09

Serial No.

The Plant might be transferred to the Executive Engineer, Water Supply & Stores Division.

Later under the rule to find this should be regarded as 'X' on finishing of the case by G/Ag.

Dr Coleman says that in spite of a reminder he did not yet receive a reply from the Chief Engineer.

2 As in the meanwhile the supply of gas to the laboratories was necessary Dr Coleman appointed in the meanwhile an Engine driver from the 18th November 1910 on a pay of Rs 25 a month. thinking that the further action in the matter would be taken up in the P.W.D. As the transfer of the Supervision over the Plant has not yet been made, Dr Coleman solicits sanction to the entertainment of the Engine Driver meeting the charges from the provision of Rs 2000 provided for the gas house charges in the Agl Chemists' Budget. He also regrets sanction to the transfer of the Supervision over the Plant to the Executive Engineer, Water Supply & Stores Division.

3 Dr Ty has to be consulted in connection with the question of the entertainment of the Engine Drivers as it involves a recurring expenditure.

4 As regards the question of the transfer of

NOTE— Contn. sheet.

GPB—50,000—12-8-10

G. R. S. 12 ]
General and Revenue Secretariat.

Apr File No. 72 of 1910.

Serial No.

the Supervision over the plant to the P.W.D. the Chief Engineer should be Consulted.
Submitted
TBR (40)
8/12/10

1-0-N051-10
R
9th December 1910.

AKG 6
5/12/10
Forwarded unofficially to the Ex Engineer for favour of opinion whether the Ex Engineer Waterworks Drainage may not be placed in charge of the Gas Lighting
B G
Sept. & D. Insp
9.12.10
for Secretary

Rec'd
10.12.10

In reply refer to No. 218 P.W.D. of 12-12-10
Maj J.

6 This office letter No. 10188 dated the 7th December 1910 addressed to Dr. Coleman gives the Chief Engineer's opinion in the matter. A copy thereof is hereto attached for the information of Government.

Recommended
Bangalore 23rd December 1910
for Chief Engineer
of Mysore

NOTE—Contn. sheet.

GPB—50,000—12-8-10

PTO

Letter No. 10188 dated the 7th December 1910 from the Chief Engineer of Mysore to the Mycologist and Entomologist in charge of the office of the Agricultural Chemist, Bangalore.

---

With reference to your letter No. 373 dated the 28th October and 439 dated the 21st November 1910, suggesting that arrangements be made to transfer the new gas installation plant and staff in Bangalore to the control of the Executive Engineer, Water Supply and Stores Division, I have the honour to inform you that it is not usual for this Department to undertake to maintain small local installations in charge of and in daily use by other Departments.

2. The Executive Engineer will however continue to render professional advice and practical help whenever needed to the best of his power.

"C O P Y"

For Deputy Chief Engineer,
Mysore P.W.Department.

S.S.

G. R. S. 12 ]
General and Revenue Secretariat.

Agri. File No. 72 of 1960

| Serial No. | |
|---|---|
| | Submitted |
| | There are already two fire-men employed in connection with the gas-house, as, under the head 'Establishment', provision is |
| 21E, 6, 1, 18 | made for two fire-men, one on Rs 20 and another on Rs 10 per mensem. Dr Coleman does not make any reference to these hands in his letter, but says that if the Engine driver, Sanctioned to whose appointment is sought for had not been appointed, no supply of gas to the laboratories could ~~had~~ have been had. There is no re- mark (60) mark as to how the work in 6/1/11. the gas-house had been carried RMb on hitherto. |
| | 6/1/11 & Please ascertain whether the appt of driver is in addition to the 2 firemen already sanctioned & whether the work cannot be done by the addl the 2 latter. After all the work of supplying gas to a small laboratory like that of the Agl Chemist does not need the ~~the~~ the maintenance of the plant cannot |

Note—Contn. sheet.

GPB—50,000—12-8-10

G. R. S. 12 ]
General and Revenue Secretariat.

Agr. File No. 70 of 1910

Serial No.

Required three men

2 6/6/11

1 Submitted with a draft
T&R (Ag)
6/6/11 [illegible]
BMG 6/6/11 7/6/11

To

2 The Mycologist & Entomologist
No R 4183 dy 10. 1. 11
Calls for further information as noted in the last para.

3 From. The Same Officer.
No. 610 dy. 11. 1. 11
States that the proposed appointment of an Engine driver is necessary in addition to the two fire-men already employed on account of the increase of work due to the installation of the gas Engine & additional gas-holder.

5 Submitted for orders.
T&R (Ag)
7/1/11
BMG 7/1/11

NOTE—Contn. sheet.

GP'B—50,000—12-8-10

G. R. S. 12 ]
General and Revenue Secretariat.

Agri File No. 72 of 1910

Serial No.

Re the foremen temporary & come on the permanent establishment of the Dept

d
17/1/11

4 The foremen are shown in the budget as belonging to the permanent establishment of the Dept.

Submitted

TSR (60) IV 17/1/14 If the foremen become permanent, then the pay of one of them may have been reduced from Rs 20 to Rs 16 on the engine-driver and fitter cadre requiring technical skill. The case illustrates the disadvantage of a technical dept having to obtain supply its establishment with its own & the Engineer Water-supply Dept may well arrange to provide if required occasionally the services of a workman of higher technical skill & this calls for establishment of a small flank cadre.

d
17/1/11

NOTE—Contn. sheet.

GPB—50,000—12-8-10

G. R. S. 12 ]
General and Revenue Secretariat.

Vols 167 8

File No. 72 of 190

Serial No.

13 The appointment may be sanctioned. The gasplant now serves the Central College in addn to the Govt chemical laboratory.

Govt Inspection

29/4/14

Submitted with a copy of the Statement showing additional permanent expenditure sanctioned since 29-05-06.

M. 36
24/1/15 Please put up with the file relating to the establishment of the gas plant as well as that of the entertainment of the firemen. Is there not a separate gas plant for the Central College?

25/1/15

13 iv).

16 The Govt of India recommended a gas installation for the Central College in 1904-10. The papers were transferred to the P.W. Dept for disposal No further information is available in the Govt Section.

What was referred to in the note of this branch was as regards the existing arrangement for gas to the Central College.

27/1/15

13 iv)

NOTE—Contn. sheet.

GPB—35,000—27.4.08

G. R. S. 12 ]
General and Revenue Secretariat.

File No. W 167 of 190

9

539

Serial No. 9

As already stated from the foregoing information is available on the G.S.O. Section Registry for installation of the Central College either old or new.

hw song
26/1/11

Submitted.
ans
28/1/11

(Asst Secy) Sir, there must have been some Establishment working the Engine which Supplies both the College & the Geological Chemical Laboratory. Please get the file & bring it to the first Cabinet Meeting.

(Bi I). 28.11.

Submitted with a draft Calling for [illegible]

The files of the P.W.D. regarding the additions made to the gas plant to supply gas to the Central College & other institutions are herewith put up. It will be seen from the papers marked W, X, Y, Y1 & Z that the old and

NOTE—Contn. sheet.

GPB—55,000—27-4-09

| Serial No. | |
|---|---|
| 559 | The present capacities of the plant are The present establishment consisting of 2 firemen has been continued for years. The file relating to their entertainment has not yet been traced in the office. As the files now put up show the necessity for an additional hand, the papers are submitted for orders. |
| | T.S.R. (40) 20/2/14 |
| | 10/2/14 |
| | 10/2/14 |
| | Submitted M.36 11/2 |
| | 14/2 Q-5 20 This clear from the papers traced and three firemen where five are employed before and a high pressure engine has been added to a low pressure one. If the working of this new plant and the generating of more gas is beyond the capacity of the 2 firemen then a driver would become necessary. It is therefore a question of fact within the knowledge of the Waterworks dept. If they find it necessary there would be no financial objn — the more so |

NOTE—Contn. sheet.

of the Expenditure during the present year is proposed to be met by Cess. But now as the Pusa has become a Central Institution for the Agricultural, Bacteriological & College Laboratories it is for Consideration Whether all the three Depts. should pay the Charges for generation & distribution including Establishment (wages prorata according to the Cft of gas Consumed) each.

Sd/-

16.2.11

21 Submitted.

Sd (4.0) 22 Please put up a draft
15/2/11 sanctioning the issue
Sd/- of Orders for the cost of the
15/2/11 establishment & other expenditure
being distributed between the
3 Institutions concerned in
proportion to the Consumption
of the gas. I do not suppose
that a meter is obtained and
to measure the quantity of
gas consumed by each so
the distribution has to be
made approximately. Half the

Serial No.

cost may be charged to the Agl Laboratory and the other half distributed between the Bacteriological Laboratory and the Central Mg in the proportion of 1:2

& 15/2/11

23 Submitted with a draft GR (Ho) 24 Br TV (Educational / Medical) 16/2/11 may be cancelled pending the proposed adjustment of the cost. 20 Br TV

16/2/11 &

16/2/11

25 In the matter of apportionment of the cost to the ~~Bacteriological~~ Bacteriological Laboratory in the proportion referred to, the Senior Surgeon's opinion may, if appd, be solicited before final orders issue. 16/2/11 Dmg 17.2.11

26 The cost seems so little that it is unnecessary to make any distribution as suggested. If however a distribution is considered necessary the Senior Surgeon may be consulted.

Br T 17.2.11 Mlle

NOTE—Contn. sheet.

G.R.S. 12 ]
General and Revenue Secretariat.

Agr File No. 72 of 1910-11

Nos 167

13

Serial No. 27

Submitted

Hon'ble
33
18/2/11

28 I am of the same opinion as the Asst Secy Br IV. Distribution of this small charge among diffr departments appears unnecessary. If however it is considered desirable to make such a distribution, the opinion of the (Principal, Central College & the D.G. Hd= may be called for.

Br I.
20/2/11

The previous papers show that hitherto the Agricultural Laboratory has been the largest Consumer (about 12000 c/ft monthly), the Bacteriological & the College laboratories taking only 1800 & 500 c/ft respectively.

29 Para 2 of the draft may be omitted as it is a cost of work adjustment
a
22/2/11.

30 Submitted with a fresh draft omitting para 2.
BSR (60) Secy
22/2/11
a
22/2/11.

10.25.11
22/2/11
31 Decision
22.2.11.
CM
22/2/11

Draft approved by the Decision.
a
22/2/11.

BR
28.2.11.
Issue
CM
1/3/11

NOTE—Contn. sheet.

GPB—55,000—27.4.09

G.R.S. 12 ]
General and Revenue Secretariat.

Agr File No. 72 of 1910

| Serial No. | |
|---|---|
| 4 | To the officer in charge of the Agricultural Chemist Store & Comptroller No: R/5033-4 dy 3-3-1911 Sanctioning the appointment of an empire dresser on Rs 25/- per mensem with effect from the 1st Nov 1910. |

NOTE—Contn. sheet.

GPB—55,000—27.4.09

I 3/12 Pt. 1

3041

190

From

Leslie C. Coleman, Esqr., M.A. Ph.D.,
Mycologist & Entomologist
in charge of the
Agricultural Chemists Office, Bangalore

To

The Secretary to the Govt. of
His Highness the Maharaja of Mysore,
Genl & Rev. Depts., Bangalore

Dated 1-12-10

Despatched 2-12-10

Received

General No. 4485

No.

Enclosure No. Nil

Requesting sanction of
Government for the transfer
of the whole Gas Plant to the
Executive Engineer, Water Supply
and Stores Division, Bangalore.

GPB—70 reams—27-12-09

DEPARTMENT OF AGRICULTURE
CHEMICAL LABORATORY
No. 485
MYSORE

Agri 72—10.8.1

Office of the Agricultural Chemist,
Government of Mysore,
Bangalore, December 1st 1910.

From

Leslie C. Coleman Esquire, M.A., Ph.D.,
Mycologist & Entomologist in charge of the office
of the Agricultural Chemist,

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments, Bangalore.

Sir,

I have the Honour to request that you will kindly obtain sanction of Government on the following matters.

The gas plant of this department has been greatly expanded by the addition of a gas holder and a gas~~oline~~ engine for supplying gas at a high pressure to the Central College Laboratories. All these have been done by the Public Works Department. After the completion of the work I requested the Chief Engineer to have the whole plant transferred to the Executive Engineer, Water Supply and Stores Division considering him to be the proper officer to be in charge of it. I have not as yet received reply from the Chief Engineer though it is more than a month since and a reminder was sent some time ago. I wrote to him. I have the honour to request therefore that you will obtain sanction of Government on this matter at an early date.

In the meanwhile to run the engine and to look after the engine I appointed a man on the recommendation of the Executive Engineer, Water Supply & Stores Dn. from the 1st of November 1910 on a pay of Rs. 25/- per mensem. As I was expecting the transfer of the whole plant to the Executive Engineer, Water Supply & Store Division as proposed by me to the Chief Engineer I did not apply for

sanction earlier. I therefore request that you will kindly move Government to sanction the appointment of the driver on a salary of Rs. 25/- to be incurred during the current year out of the allotment of Rs. 2000/- provided for the Gas-house in the Budget of the Agricultural Chemist. The appointment of this man was absolutely necessary as otherwise we should have had no gas supply and work here and in the neighbouring laboratories would have been stopped.

I have the honour to be,

Sir,

Your most obedient servant,

Leslie Coleman

For Agricultural Chemist.

(3)

G.R.S. 26] 9.1-11

Agri File No. 79/10
Serial No. 2

*Diary No. of letter replied to* 3011

No. Q4183
DT 10/1/11

General and Revenue Secretariat
( )
, *the* 1 19 .

To
The Officer in Charge of the
Agrl Chemists' Office,

Date of issue 10/1/11

Signed by Dve P. Ce. D'Souza

Sir

With reference to your letter No 485 dated the 18th Dec 1910 soliciting Sanction to the appointment of an Engine driver on Rs 35 to work the Engine in the gas house, I am directed to request you to be so good as to state whether the proposed appointment is in addition to the two fire-men for whom provision is made in the budget, whether the work of supplying gas to the Cr

over.

SUBJECT.

laboratories and the ~~manu~~ manipulation of the plant require three men & whether the same cannot be carried on by two men already provided for.

I have &c.

For. Secretary

*List of enclosures,*

*Copied by*

*Examined by*

GPB—20,000—12-8-10

1/16/12 Rev. 190 3558 R

From
Leslie C. Coleman, Esqr., M.A., Ph.D.,
Mycologist & Entomologist
in charge of the Agril. Chemists office
To
The Secretary to the Govt. of
His Highness the Maharaja of Mysore
Genl & Rev. Depts., Bangalore
Dated 11-1-11
Despatched 13-1-11
Received
General No. 610
No.
Enclosure No. Nil

Stating that, an account of the installation of the gas engine & additional gas holder there is full work for the two existing firemen and also for the engine driver for whose appointment sanction is solicited.

GPB—75 reams—25-5-10

DEPARTMENT OF AGRICULTURE
CHEMICAL LABORATORY.
No. 610
OF MYSORE

Agri 72-10-8 (3) 5

Office of the Agricultural Chemist,
Government of Mysore,
Bangalore, January 11th 1911.

From

Leslie C. Coleman, Esq., M.A., Ph.D.,
Mycologist & Entomologist in charge of
the Agricultural Chemist's office, Bangalore,

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
Genl. and Rev. Departments, Bangalore.

Sir,

In reply to your letter No. R. 4183/Agri.72-10-2 dated 10th January 1911 requesting to be informed if the proposed appointment of the engine driver for the gas house is in addition to the two firemen for whom provision has already been made in the budget I have the honor to state that on account of the installation of the gas engine and additional gas holder there has been a change in the system of work involving considerable additional work and a knowledge on the part of the staff of the new gas engine. There is therefore full work for the 2 existing firemen and also for the engine driver for whose appointment sanction is now solicited.

I have the honor to be,
Sir,
Your most obedient servant,

H. Krishnayya

For Agricultural Chemist

16

G.R.S. 28.]

4/3/11

unpd

Diary No. of letter replied to 30 11.

Agri File No. 22—10
Serial No. 4

Proceedings of the Government of His Highness the Maharaja of Mysore.

GENERAL AND REVENUE SECRETARIAT.
( )

, the 19

Date of issue 3/3/11

Signed by Mr P. G. D'Souza

READ—

Letter No 485 dated the 18th Dec 1910 from the Officer in Charge of the Agricultural Chemist's office stating that as the gas plant under his charge supplying gas

ORDER THEREON.—No.

to the Central College, Agricultural and Bacteriological laboratories has been extended it is necessary to employ an engine driver to work it and that he entertained

over

SUBJECT.

GPB—10,000—19-4-10

ong on Rs 25 per mensem since
1st November 1910 but made no
reference to Govt in the matter
earlier as he expected the supervision
over the plant would be taken up
by the Executive Engineer, Water
Supply & Stores Division and
requesting that the appointment
made by him may be sanctioned
the charge for the present year
being met from the provision
of Rs 2000 in the Current
Years' budget for the gorhouse

Order thereon 25033 4 D/25/8/11

The appointment of the
Engine driver on Rs 25 per
mensem is sanctioned with
effect from the 1st Nov. 1910
the expenditure for the
Current year being met
from the source suggested
above

Secretary

V.V.

To. The Officer in charge
the Agl Chemist
" ~~Electrician~~
Comptroller.
for